

COPY

PTO/SB/08 (2-92)

Sheet 1 of 5

Form PTO-1449

Docket Number 293102002900

Application Number 09/904,782

Applicant

Suresh K. TIKOO

Filing Date July 13, 2001

Group Art Unit ~~4635~~ 1648

Mailing Date September 18, 2001

INFORMATION DISCLOSURE CITATION
OF AN APPLICATION
(Use several sheets if necessary)



U.S. PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Name	Class	Subclass	Filing Date If Appropriate
LM	1.	01/19/1999	5,861,277	Rose et al.			
	2.	07/13/1999	5,922,576	He et al.			
	3.	11/30/1999	5,994,132	Chamberlain et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Country	Class	Subclass	Translation YES NO
LM	4.	03/09/1988	0 259 149 A2,A3,B1	EPO			
	5.	04/16/1998	WO 98/15636 A1	WIPO			
	6.	05/27/1999	WO 99/25858 A1	WIPO			
	7.	06/17/1999	WO 99/29848 A1	WIPO			
	8.	01/06/2000	WO 00/00629 A1	WIPO			

OTHER DOCUMENTS (including author, title, Date, Pertinent Pages, Etc.)

Examiner Initials	Ref. No.	Title
LM	9.	Baca-Estrada et al. (1995). "Induction of mucosal immunity in cotton rats to haemagglutinin-esterase glycoprotein of bovine coronavirus by recombinant adenovirus," <i>Immunology</i> 86: 134-140.
	10.	Bartha, A. (1969). "Proposal for subgrouping of bovine adenoviruses," <i>Acta. Vet. Acad. Sci. Hung.</i> 19(3):319-321.
	11.	Baxi et al. (1999). "Transcription map and expression of bovine herpesvirus-1 glycoprotein D in early region 4 of bovine adenovirus-3," <i>Virology</i> 261:143-152.
	12.	Berkner and Sharp (1983). "Generation of adenovirus by transfection of plasmids," <i>Nucl. Acids Res.</i> 11(17):6003-6020.
	13.	Bett et al. (1993). "Packaging capacity and stability of human adenovirus type 5 vectors," <i>J. Virol.</i> 67(10):5911-5921.

EXAMINER:

LM, A. 82

DATE CONSIDERED:






11/14/03

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

COPY

PTO/SB/08 (2-92)


Sheet 2 of 5

Form PTO-1449		Docket Number 293102002900	Application Number 09/904,782
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary) 		Applicant Suresh K. TIKOO	
		Filing Date July 13, 2001	Group Art Unit 4635 1648
		Mailing Date September 18, 2001	
14.		Bett et al. (1994). "An efficient and flexible system for construction of adenovirus vectors with insertions or deletions in early regions 1 and 3," <i>Proc. Natl. Acad. Sci. USA</i> 91:8802-8806.	
15.		Brennan and Savage (1990). "Embryonic transcriptional activation of a <i>Xenopus</i> cytoskeletal actin gene does not require a serum response element," <i>Roux's Arch. Dev. Biol.</i> 199:89-96.	
16.		Carswell and Alwine (1989). "Efficiency of utilization of the simian virus 40 late polyadenylation site: Effects of upstream sequences," <i>Mol. Cell Biol.</i> 9(10):4248-4258.	
17.		Chartier et al. (1996). "Efficient generation of recombinant adenovirus vectors by homologous recombination in <i>Escherichia coli</i> ," <i>J. Virol.</i> 70(7):4805-4810.	
18.		Choi et al. (1991). "A generic intron increases gene expression in transgenic mice," <i>Mol. Cel. Biol.</i> 11(6):3070-3074.	
19.		Chomczynski and Sacchi (1987). "Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction," <i>Anal. Biochem.</i> 162:156-159.	
20.		Chow et al. (1977). "An amazing sequence arrangement at the 5' ends of adenovirus 2 messenger RNA" <i>Cell</i> 12:1-8.	
21.		Darbyshire et al. (1965). "A new adenovirus serotype of bovine origin," <i>J. Comparative Pathology</i> 75:327-330.	
22.		Darbyshire et al. (1966). "The pathogenesis and pathology of infection in calves with a strain of bovine adenovirus type 3," <i>Res. Vet. Sci.</i> 7:81-93.	
23.		Darbyshire, J.H. (1966). "Oncogenicity of bovine adenovirus type 3 in hamsters," <i>Nature</i> 211:102.	
24.		Davison et al. (1993). "The DNA sequence of adenovirus type 40," <i>J. Mol. Biol.</i> 234:1308-1316.	
25.		Derbyshire et al. (1975). "Serological and pathogenicity studies with some unclassified porcine adenoviruses," <i>J. Comp. Pathol.</i> 85:437-443.	
26.		Deregt and Babiuk (1987). "Monoclonal antibodies to bovine coronavirus: Characteristics and topographical mapping of neutralizing epitopes on the E2 and E3 glycoproteins," <i>Virology</i> 161:410-420.	
27.		Deregt et al. (1989). "Monoclonal antibodies to bovine coronavirus glycoproteins E2 and E3: Demonstration of <i>in vivo</i> virus-neutralizing activity," <i>J. Gen. Virol.</i> 70:993-998.	
28.		Fallaux et al. (1998). "New helper cells and matched early region 1-deleted adenovirus vectors prevent generation of replication-competent adenoviruses," <i>Hum. Gene Ther.</i> 9:1909-1917.	
29.		Felgner and Ringold (1989). "Cationic liposome-mediated transfection," <i>Nature</i> 337:387-388.	
EXAMINER: 		DATE CONSIDERED: 11/14/03	
EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.			

COPY

PTO/SB/08 (2-92)

Sheet 3 of 5

Form PTO-1449		Docket Number 293102002900	Application Number 09/904,782
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (See several sheets if necessary)		Applicant Suresh K. TIKOO	
		Filing Date July 13, 2001	Group Art Unit 4635 1648
		Mailing Date September 18, 2001	
30.	Foy, Hjordis M. (1989). "Adenoviruses," Chapter 3 in <u>Viral Infections of Humans</u> , Evans, A.S., ed. Plenum Publishing: New York, pp 77-94.		
31.	Ghosh-Choudhury et al. (1987). "Protein IX, a minor component of the human adenovirus capsid, is essential for the packaging of full length genomes," <i>EMBO. J.</i> 6(6):1733-1739.		
32.	Graham and Van Der Eb (1973). "A new technique for the assay of infectivity of human adenovirus 5 DNA," <i>Virology</i> 52:456-467.		
33.	Graham et al. (1977). "Characteristics of a human cell line transformed by DNA from human adenovirus type 5," <i>J. Gen. Virol.</i> 36:59-74.		
34.	Graham, F.L. (1984). "Covalently closed circles of human adenovirus DNA are infectious," <i>EMBO J.</i> 3:(12):2917-2922.		
35.	Hirahara et al. (1990). "Isolation of porcine adenovirus from the respiratory tract of pigs in Japan," <i>Jpn. J. Vet. Sci.</i> 52:407-409.		
36.	Hirt, Bernhard (1967). "Selective extraction of polyoma DNA from infected mouse cell cultures," <i>J. Mol. Biol.</i> 26:365-369.		
37.	Hu et al. (1984). "Sequence homology between bovine and human adenoviruses," <i>J. Virol.</i> 49(2):604-608.		
38.	Huang and Gorman (1990). "Intervening sequences increase efficiency of RNA 3' processing and accumulation of cytoplasmic RNA," <i>Nucleic Acids Res.</i> 18(4):937-947.		
39.	Idamakanti, N. (1998). "Molecular characterization of early region-3 of bovine adenovirus-3," M. Sci. Thesis, University of Saskatchewan: Saskatoon, Saskatchewan, pp. ii-xiii; 1-93.		
40.	Idamakanti et al. (1999). "Transcription mapping and characterization of 284R and 121R proteins produced from early region 3 of bovine adenovirus type 3," <i>Virology</i> 256:351-359.		
41.	Khattar et al. (1995). "Identification and transcriptional analysis of a 3'-coterminal gene cluster containing UL1, UL2, UL3, and UL3.5 open reading frames of bovine herpesvirus," <i>Virology</i> 213:28-37.		
42.	King and Brian (1982). "Bovine coronavirus structural proteins," <i>J. Virol.</i> 42(2):700-707.		
43.	Kunkel et al. (1987). "Rapid and efficient site-specific mutagenesis without phenotypic selection," <i>Meth. Enzymol.</i> 154:367-382.		
44.	Kurokawa et al. (1978). "Biochemical studies on bovine adenovirus type 3 III. Cleavage maps of viral DNA by restriction endonucleases <i>EcoRI</i> , <i>BamHI</i> , and <i>HindIII</i> ," <i>J. Virol.</i> 28(1):212-218.		
45.	Lathe et al. (1987). "Plasmid and bacteriophage vectors for excision of intact inserts," <i>Gene</i> 57:193-201.		
46.	Mattson et al. (1988). "Bovine adenovirus type-3 infection in feedlot calves," <i>Am. J. Vet Res.</i> 49(1):67-69.		
47.	Mittal et al. (1992). "Sequence analysis of bovine adenovirus type 3 early region 3 and fibre protein genes," <i>J. Gen. Virol.</i> 73:3295-3300.		
48.	Mittal et al. (1993). "Corrigendum. Sequence analysis of bovine adenovirus type 3 early region 3 and fibre protein genes," <i>J. Gen. Virol.</i> 74(Part 12):2825.		
49.	Morrison et al. (1997). "Complete DNA sequence of canine adenovirus type 1," <i>J. Gen. Virol.</i> 78:873-878.		
EXAMINER: 		DATE CONSIDERED: 11/14/03	
EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.			

COPY

PTO/SB/08 (2-92)

Sheet 4 of 5

Form PTO-1449

Docket Number 293102002900

Application Number 09/904,782

INFORMATION DISCLOSURE CITATION
IN AN APPLICATION

Applicant

Suresh K. TIKOO

Filing Date July 13, 2001

Group Art Unit ~~4635~~

648

Mailing Date September 18, 2001

(Use several sheets if necessary)

50.	Motoi et al. (1972). "Neoplastic transformation of hamster cells <i>in vitro</i> by bovine adenovirus Type-3," <i>Gann</i> 63:415-418.
51.	Mount, Stephen M. (1982). "A catalogue of splice junction sequences," <i>Nucleic Acid Research</i> vol.10(2):459-472.
52.	Niiyama et al. (1975). "Biochemical studies on bovine adenovirus type 3," <i>Virol.</i> 16(3):621-633.
53.	Parker et al. (1989). "Cloning and <i>in vitro</i> expression of the gene for the E3 haemagglutinin glycoprotein of bovine coronavirus," <i>J. Gen. Virol.</i> 70:155-164.
54.	Reddy et al. (1993). "Restriction endonuclease analysis and molecular cloning of porcine adenovirus type 3," <i>Intervirology</i> 36:161-168.
55.	Reddy et al. (1995). "Comparison of the inverted terminal repetition sequences from five porcine adenovirus serotypes," <i>Virology</i> 212:237-239.
56.	Reddy et al. (1995). "Molecular cloning and physical mapping of porcine adenovirus types 1 and 2," <i>Arch. Virol.</i> 140:195-200.
57.	Reddy et al. (1998). "Nucleotide sequence, genome organization, and transcription map of bovine adenovirus type 3," <i>J. Virol</i> 72(2):1394-1402.
58.	Reddy et al. (1998). Nucleotide sequence and transcription map of porcine adenovirus type 3," <i>Virology</i> 251:414-426.
59.	Reddy et al. (1999). "Replication-defective bovine adenovirus type 3 as an expression vector," <i>J. Virol.</i> 73(11):9137-9144.
60.	Rubin, B.A. (1993). "Clinical picture and epidemiology of adenovirus infections," <i>Acta Microbiol. Hung.</i> 40(4):303-323.
61.	Senapathy et al. (1990). "Splice junctions, branch point sites, and exons: Sequence statistics, identification, and applications to genome project," <i>Meth. Enzymol.</i> 183:252-278.
62.	Sprengel et al. (1994). "Nucleotide sequence of human adenovirus type 12 DNA: Comparative functional analysis," <i>J. Virol.</i> 68(1):379-389.
63.	Takiff et al. (1981). "Propagation and <i>in vitro</i> studies of previously non-cultivable enteral adenoviruses in 293 cells," <i>Lancet</i> 11:832-834.
64.	Tollefson et al. (1992). "The 11,600- M_w protein encoded by region E3 of adenovirus is expressed early but is greatly amplified at late stages of infection," <i>J. Virol.</i> 66(6):3633-3642.
65.	Tsukamoto and Sugino (1972). "Nonproductive infection and induction of cellular deoxyribonucleic acid synthesis by bovine adenovirus type 3 in a contact-inhibited mouse cell line," <i>J. Virol.</i> 9(3):465-473.
66.	Tuboly et al. (1993). "Potential viral vectors for the stimulation of mucosal antibody responses against enteric viral antigens in pigs," <i>Res. in Vet. Sci.</i> 54:345-350.
67.	van Drunen Littel-Van Den Hurk et al. (1984). "Interactions of monoclonal antibodies and bovine herpesvirus type 1 (BHV-1) glycoproteins: Characterization of their biochemical and immunological properties," <i>Virology</i> 135:466-479.
68.	Vrati et al. (1995). "Sequence of ovine adenovirus homologs for 100K hexon assembly, 33K, pVIII, and fiber genes: Early region E3 is not in the expected location," <i>Virology</i> 209:400-408.

EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449		Docket Number 293102002900		Application Number 09/904,782	
COPY INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary) SEP 26 2001 PATENT & TRADEMARK OFFICE		Applicant			
		Suresh K. TIKOO			
		Filing Date July 13, 2001		Group Art Unit 1635-1648	
		Mailing Date September 18, 2001			
69.	Waltner-Toews et al. (1985). "A field trial to evaluate the efficacy of a combined rotavirus-coronavirus/ <i>Escherichia coli</i> vaccine in dairy cattle," <i>Can. J. Comp. Med.</i> 49:1-9.				
70.	Xu et al. (1997). "Construction of ovine adenovirus recombinants by gene insertion or deletion of related terminal region sequences," <i>Virol.</i> 230:62-71.				
71.	Xu and Both (1998). "Altered tropism of an ovine adenovirus carrying the fiber protein cell binding domain of human adenovirus type 5," <i>Virol.</i> 248:156-163.				
72.	Yoo et al. (1992). "Synthesis and processing of the haemagglutinin-esterase glycoprotein of bovine coronavirus encoded in the E3 region of adenovirus," <i>J. Gen. Virol.</i> 73:2591-2600.				
73.	Zakhartchouk et al. (1998). "Construction and characterization of E3-deleted bovine adenovirus type 3 expressing full-length and truncated form of bovine herpesvirus type 1 glycoprotein gD," <i>Virology</i> 250:220-229.				
74.	Zheng et al. (1994). "The E1 sequence of bovine adenovirus type 3 and complementation of human adenovirus type 5 E1A function in bovine cells," <i>Virus Res.</i> 31:163-186.				
75.	Ziff and Fraser (1978). "Adenovirus type 2 late mRNA's: Structural evidence for 3'-coterminal species," <i>J. Virol.</i> 25(3) :897-906.				
76.	Zoller and Smith (1982). "Oligonucleotide-directed mutagenesis using M13-derived vectors: An efficient and general procedure for the production of point mutations in any fragment of DNA," <i>Nucl. Acids Res.</i> 10(20):6487-6500.				


EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

PTO/SB/08 (2-92)
COPY

Form PTO-1449 INFORMATION DISCLOSURE CITATION IN AN APPLICATION <i>(Use several sheets if necessary)</i>	Docket Number 293102002900	Application Number 09/904,782
	Applicant Suresh K. TIKOO	
	Filing Date July 13, 2001	Group Art Unit 1635
	Mailing Date May 10, 2002	



RECEIVED
MAY 20 2002

Examiner Initials	Ref. No.	Date	Document No.	Name	Class	Subclass	Filing Date if Appropriate
LD	1.	02/14/2002	2002/0019051	Lusky et al.			05/31/2001

TECH CENTER 1600/2900

FOREIGN PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Country	Class	Subclass	Translation YES NO
LD	2.	08/10/1990	FR 2 642 767	France			EPO Abstract
	3.	12/02/1999	WO 99/61638	WIPO			Abstract & see also Ref. No. 1
	4.	01/11/2001	WO 01/02607	WIPO			
	5.	03/15/2001	WO 01/18224	WIPO			

OTHER DOCUMENTS

(including author, title, Date, Pertinent Pages, Etc.)

Examiner Initials	Ref. No.	Title
LD	6.	Dedieu et al. (1997). "Long-Term Gene Delivery into the Livers of Immunocompetent Mice with E1/E4-Defective Adenoviruses," <i>J. Virol.</i> 71(6):4626-4637.
	7.	Frederickson et al. (1989). "5' Flanking and First Intron Sequences of the Human β -actin Gene Required for Efficient Promoter Activity," <i>Nucleic Acids Research</i> 17(1):253-270.
	8.	Matthews et al. (1999). "Development and Use of a 293 Cell Line Expressing lac Repressor for the Rescue of Recombinant Adenoviruses Expressing High Levels of Rabies Virus Glycoprotein," <i>J. Gen. Virol.</i> 80(2):345-353.
	9.	Mukhopadhyay et al. (1995). "Use of a New Rat Chondrosarcoma Cell Line to Delineate a 119-Base Pair Chondrocyte-specific Enhancer Element and to Define Active Promoter Segments in the Mouse Pro- α 1(II) Collagen Gene," <i>J. Biol. Chem.</i> 270(46):27711-27719.
	10.	Raper et al. (1998). "Selective Gene Transfer into the Liver of Non-Human Primates with E1-Deleted, E2A-Defective, or E1-E4 Deleted Recombinant Adenoviruses," <i>Human Gene Therapy</i> 9:671-679.
	11.	Reddy et al. (2000). "Optimization of Bovine Coronavirus Hemagglutinin-Estrase Glycoprotein Expression in E3 Deleted Bovine Adenovirus-3," <i>Virus Research</i> 70(1-2):65-73.
	12.	Yuan, W. (2000). "Intron 1 Rather than 5' Flanking Sequence Mediates Cell Type-Specific

EXAMINER: LD


DATE CONSIDERED: 11/14/03

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

RECEIVED

MAY 20 2002

TECH CENTER 1600/29



Form PTO-1449 INFORMATION DISCLOSURE CITATION IN AN APPLICATION <i>(Use several sheets if necessary)</i>	Docket Number 293102002900	Application Number 09/904,782
	Applicant Suresh K. TIKOO	
	Filing Date July 13, 2001	Group Art Unit 1635
	Mailing Date May 10, 2002	

	Expression of c-myb at Level of Transcription Elongation," <i>Biochimica et Biophysica Acta. Gene Structure and Expression</i> 1490(1-2):74-86.
--	---

EXAMINER:	DATE CONSIDERED: 11/14/03
-----------	---------------------------

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.